



Adding
Value
to
Food

Product Specification

| | |
|-------------------------|--|
| Item # | DAB300600 |
| Description | DRY AGE BEEF VACUUM BAGS 300X600 50 PER PACK |
| Unit | PACK |
| Pallet Qty | 1000 |
| Product Category | 41123 Dry Aged Pouches |
| Unit Weight | 1.07 |

Specification Details

Lay flat size: 50-600 mm \pm 1 mm

Calibre: 32-380 mm

Wall thickness: 40-80 μ m

Temperature: -40 $^{\circ}$ C - 140 $^{\circ}$ C

Storage: Dark, below 25 $^{\circ}$ C and 75%.

Shelf Life: This product has a limited lifetime and should be used within one year from date of production. Properties might change if it is stored for a longer time.

Water Vapor:

All 50 μ m thickness

Tublin \hat{A} @00: 7 $^{\circ}$ C/50% RH \hat{A} g/m²/24 h - 1260

Tublin \hat{A} @05: 7 $^{\circ}$ C/50% RH \hat{A} g/m²/24 h - 1350

Tublin \hat{A} @10: 7 $^{\circ}$ C/50% RH \hat{A} g/m²/24 h - 920

Tublin \hat{A} @15: 7 $^{\circ}$ C/50% RH \hat{A} g/m²/24 h - 1080

Tublin \hat{A} @35: 7 $^{\circ}$ C/50% RH \hat{A} g/m²/24 h - 1350

Oxygen Transmission:

Tublin \hat{A} @00: 7 $^{\circ}$ C/50% RH \hat{A} ccm/24 h - 690

Tublin \hat{A} @00: 23 $^{\circ}$ C/50% RH \hat{A} g/m²/24 - 1765

Tublin \hat{A} @05: 7 $^{\circ}$ C/50% RH \hat{A} ccm/24 h - 744

Tublin \hat{A} @05: 23 $^{\circ}$ C/50% RH \hat{A} g/m²/24 - 2156

Tublin \hat{A} @10: 7 $^{\circ}$ C/50% RH \hat{A} ccm/24 h - 660

Tublin \hat{A} @10: 23 $^{\circ}$ C/50% RH \hat{A} g/m²/24 - 1920

Tublin \hat{A} @35: 7 $^{\circ}$ C/50% RH \hat{A} ccm/24 h - 744

Tublin \hat{A} @35: 23 $^{\circ}$ C/50% RH \hat{A} g/m²/24 - 2156

Meets Regulation:

Regulation (EC) No 1935/2004 of 27 October 2004 on materials and articles intended to come into contact with food

Regulation (EU) No 10/2011 of 14 January 2011 on plastic materials and articles intended to come into contact with food.

Regulation (EC) No 2023/2006 of 22 December 2006 - good manufacturing practice for materials and articles intended to come into contact with food.

Customer Approval of Specification

Please sign and return this specification to **technical@scobie-junor.co.uk** to confirm formal acceptance of this specification. All specifications issued will be deemed to be accepted if no communication to the contrary is received after 10 working days.

| | | | |
|-----------|--|------------|--|
| Signature | | Print Name | |
| Position | | Date | |

While we have taken all reasonable steps to verify the accuracy of the information contained in this specification, no warranties are given to this effect and purchasers should determine for themselves whether products are suitable for their own specific use. The information contained in this specification is intended for the customer it has been issued to. It must not be reproduced, or the information contained therein passed on to any third party without the written consent of Scobie & Junor.

Issued electronically by Scobie & Junor (Estd. 1919) Ltd

Certified accurate on 25/05/2025



© 2025 Scobie & Junor (Estd. 1919) Ltd
1 Singer Road, East Kilbride, Scotland, G75 0XS
Tel: 01355 237041
www.scobiesdirect.com
Registered Scotland # 10710
VAT # GB 659 1432 23

Naas Branch
Unit A3, M7 Business Park
Naas, Co Kildare, Ireland
Tel: 045 856 747
Freephone: 1800 30 1919
VAT # IE 6540968 P